

EAST Search History

S46 1	231	(track\$3 same (user near2 actions)) and (user near2 behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:30
S46 2	3	(track\$3 same (user near2 actions)) and (user near2 behavior) and (similarity same preferences)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:30
S46 4	354	(route near2 request) same (servers or agents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:54
S46 5	3	S464 and (transform\$ same request) and idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:54
S46 6	2	707/3 and (route with query) and (convert\$3 with query) and idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:59
S46 7	6	707/3 and (route with query) and idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 17:46
S46 8	2	09/800309 and (rank\$3 same models)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:02
S46 9	37	(indexes with profile with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:07

EAST Search History

S47 0	0	(indexes with profile with user) and (feature near2 vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:03
S47 1	1	(monitor with (user near2 behavior)) and (indexes with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:09
S47 2	1	(monitor with (user near2 behavior)) same index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:10
S47 3	3	(monitor\$ with (user near2 behavior)) same index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:10
S47 4	17	(frequency with access) and (index with (user near2 (database or profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 13:14
S47 5	42	(user near2 behavior) and (index with (user near2 (database or profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:09
S47 6	28	(user near2 behavior) and (index with (user near2 profile))\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:09
S47 7	28	(user near2 behavior) and (index with (user near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 14:16

EAST Search History

S47 8	55	(user near2 behavior) and (index same (user near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:16
S47 9	3210	(indexing with (fields or keywords or features))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:17
S48 0	2	(indexing with (fields or keywords or features)) with (user near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:17
S48 1	4	(indexing with (fields or keywords or features)) same (user near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:18
S48 2	193	(index with (user near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:20
S48 3	12	(index with (user near2 profile)) and (index\$3 with features)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:21
S48 4	57	(profile near2 index) and (feature near2 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:22
S48 5	0	((user near2 profile) near2 index) and (features near2 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:22

EAST Search History

S48 6	46	((user near2 profile) near2 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:33
S48 7	113	(index with (features with images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:34
S48 8	0	(index with (features with images)) with profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 15:34
S48 9	16	(index with (features with images)) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:00
S49 0	7	10/262556	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:01
S49 1	6	10/262556 and resources	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:31
S49 2	1	09/260215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:32
S49 3	0	09/260215 and (descriptions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:32

EAST Search History

S49 4	1	10/401940 and (descriptions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 16:48
S49 5	56	Huang.in. and 707/10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:35
S49 6	25	(index\$3 with keywords with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:41
S49 7	5	(index\$3 with phrases with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:42
S49 8	62	personalized near2 "user profiles"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S49 9	0	personalized near2 "user profiles" with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S50 0	0	personalized near2 "user profiles" with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S50 1	80	personalnear2 "user profiles" with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43

EAST Search History

S50 2	0	personal near2 "user profiles" with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S50 3	0	personal with "user profiles" with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S50 4	1	personalized with "user profiles" with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:43
S50 5	1	(viewer near2 profiles) with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 17:44
S50 6	99	(user near2 profiles) with index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 10:15
S50 7	4940	(pop-up near2 window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 10:15
S50 8	75	(pop-up near2 window) same tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:57
S50 9	3191	(index with attributes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:57

EAST Search History

S51 0	80	(index with attributes) and (user near2 profiles)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:58
S51 1	73	(index with attributes) and (user near2 profiles) and search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:58
S51 2	39	(index with attributes) and (user near2 profiles) and search and (user near2 actions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:59
S51 3	0	(index with attributes) and (user near2 profiles) and search and (user near2 behaviour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 11:59
S51 4	0	(index with attributes) and (user near2 profiles) and search and (user near2 behaviou)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 12:01
S51 5	4	(index with attributes) and (user near2 profiles) and search and (user near2 behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 12:03
S51 6	1	"6347313".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 12:04
S51 7	1	"6928425".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 12:05

EAST Search History

S518	64	(index with (search near2 terms) with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 12:22
S519	191	707/3 and (index with search).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 13:09
S520	1	"6169986".pn. and (match\$ or compar\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 13:14
S521	1	10/401940 and e-mail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 13:19
S522	1	"5963940".pn. and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 13:28
S523	0	"6941328".pn. and "bit near2 pattern"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 13:29
S524	2	"6941328".pn. and (bit near2 pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 14:42
S525	2	"5963940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 16:08

EAST Search History

S52 6	1	10/401940 and page	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 15:05
----------	---	--------------------	---	----	-----	------------------

EAST Search History

L9	104745	"38" and idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 17:05
L11	17	(user near2 reference near2 models)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 17:54
L12	113	707/3 and (user near2 references)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 17:54
L13	10	707/3 and (user near2 references) and (user near2 (models or patterns))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/17 17:54